Application No.: 10/549,705

Art Unit: 2859

Attorney Docket No.: 27232.03

Confirmation No.: 7679

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the

application:

**Listing of Claims:** 

Claims 1-235 (Canceled).

Claim 236. (Currently Amended) A device for opening a shell to release or admit a

substance, the device comprising:

a shell;

a shape memory material activator normally unresponsive to temperature changes

thereby creating a dormant state; and

means for deforming the activator in situ by only a single irreversible action while

the activator is within a predetermined temperature range,

whereby the device is transformed from a dormant state to an active state wherein

the activator responds to temperature changes to create a path through the shell to release or

admit the substance.

Application No.: 10/549,705

Art Unit: 2859

Attorney Docket No.: 27232.03

Confirmation No.: 7679

Claim 237. (Withdrawn) A temperature activated device, comprising:

a shape memory material activator; and

means for deforming the activator in situ by only a single irreversible action while

the activator is within a predetermined temperature range. whereby the device is

transformed from a dormant state to an active state wherein the activator responds to

temperature changes.

Claim 238. (Currently Amended) A method for opening a shell to release or admit a

substance, the method comprising the steps of:

providing a shell;

providing a shape memory material activator normally unresponsive to

temperature changes thereby creating a dormant state; and

deforming the activator in situ by only a single irreversible action while the

activator is within a predetermined temperature range, whereby the device is transformed

from a dormant state to an active state wherein the activator responds to temperature

changes to create a path through the shell to release or admit the substance.

Attorney Docket No.: 27232.03 Confirmation No.: 7679

Application No.: 10/549,705 Art Unit: 2859

Claim 239. (*Withdrawn*) A method for arming a temperature activated device, the method comprising the steps of:

providing a shape memory material activator; and

deforming the activator in situ by only a single irreversible action while the activator is within a predetermined temperature range, whereby the device is transformed from a dormant state to an active state wherein the activator responds to temperature changes.

Claim 240. (Withdrawn) A self-propelled device, comprising:

a body;

a shape memory material activator operatively associated with the body; and

means for providing one-way traction to the device whereby the device self-propels by first moving one end of the body forward as the other end provides traction when the

shape memory activator undergoes a temperature change in one direction and then by

moving the other end of the body as the one end provides traction with changing

temperature in the reverse direction.

Claim 241. (Withdrawn) A self-propelled device, comprising:

a shape memory material activator configured to alternate between two shapes when subjected to temperature cycling; and

a plurality of work enablers forming part of the shape memory material activator along its length for enabling the device to self propel.

Application No.: 10/549,705

Art Unit: 2859

Attorney Docket No.: 27232.03

Confirmation No.: 7679

Claim 242. (Canceled)

Claim 243. (Previously Presented) A self-propelled substance delivery system,

comprising:

a shell containing at least a substance;

a shape memory material activator;

work enablers operatively associated with the activator; and

at least one track configured with traction means, wherein the work enablers engage

the traction means to self-propel the activator therealong when the activator is subjected to

temperature cycling and thereby deliver at least the substance.

Claim 244. (Withdrawn) A self-driven track system comprising:

at least one track configured with elements for providing traction; and

a shape memory material activator anchored at a point along its length and

configured with work enablers adapted to engage the traction elements of the track, wherein

the shape memory material activator drives the track when subjected to temperature cycling

and wherein the distance traveled by the track with each half of a temperature cycle is

determined by the position of the anchor point relative to the length of the activator.

Application No.: 10/549,705 Attorney Docket No.: 27232.03
Art Unit: 2859 Confirmation No.: 7679

Claim 245. (Withdrawn) An energy conversion system, comprising:

at least one module for converting thermal energy into mechanical energy, the at least one module includes a shape memory material activator;

means for providing traction operatively associated with the at least one module; at least one energy transmission member; and

means for providing traction operatively associated with the at least one energy transmission member, wherein the at least one module traction means engages the transmission member traction means during temperature cycling of the activator thereby coupling the module to the energy transmission member for useable mechanical energy.

Claim 246. (*Previously Presented*) A shape memory material activated device, the device comprising:

at least one shell containing at least a substance; and

a shape memory material activator variably deformed, wherein different parts of the activator respond to different temperatures, within a predetermined temperature range, to create a path through the at least one shell.

Claim 247. (*Withdrawn*) An extended temperature responding shape memory material device, comprising:

a variably deformed shape memory material element, wherein the shape memory material element undergoes shape recovery within a predetermined extended temperature

 Application No.: 10/549,705
 Attorney Docket No.: 27232.03

 Art Unit: 2859
 Confirmation No.: 7679

range beginning from the least deformed locations and proceeding to the most deformed

locations with increasing temperature.

Claim 248. (Canceled)

Claim 249. (Currently Amended) A shape memory material activated device for allowing

the passing of a substance through a shell, the device comprising:

a shell having a volume for containing a substance; [[and]]

a shape memory material activator; and

a pressure generator operatively associated with the shell and configured to undergo

volume cycling with temperature cycling of the shape memory material activator,

whereby the substance passes through the shell with one half of the temperature

cycle of the shape memory material activator and the shell undergoes an irreversible volume

change with the other half of the temperature cycle. the pressure generator comprising a

shape memory material activator and configured to subject the shell to a pressure cycle

while undergoing a volume change during temperature cycling of the shape memory

material activator thereby allowing the passing of the substance through the shell.

Claims 250 and 251. (Canceled)

 Application No.: 10/549,705
 Attorney Docket No.: 27232.03

 Art Unit: 2859
 Confirmation No.: 7679

Claim 252. (Withdrawn) A shape memory material activated device for stimulating the

senses, the device comprising:

a shell containing a substance; and

a shape memory material activator configured to create a path through the shell

when subjected to temperature changes within a predetermined temperature range, whereby

the delivery of the substance effectively stimulates at least one of the senses.

Claim 253. (Currently Amended) A system of shape memory material activated substance

delivery devices, the system comprising:

a plurality of stand alone shape memory material activated substance delivery

devices, each device comprising at least one shell containing at least a substance and a shape

memory material activator, said activator being normally unresponsive to

temperature changes thereby creating a dormant state, means for deforming the activator in

situ by only a single irreversible action while the activator is within a predetermined

temperature range, wherein said activator is [[and]] configured to release at least the

substance at a predetermined temperature, wherein the delivery of each substance, over [[a]]

different temperature ranges encompassing the release temperatures of the plurality of

devices, collectively produces a combined effect.